

**ROBERT A. KASTER, JR., R.Ph.**

**Consultant to the Pharmaceutical Industry**

120 Messner Lane  
Glenmoore, PA 19343  
484-356-4160

December 19, 2007

To:

Joseph St. Laurent  
President, CSO  
Chemic Laboratories, Inc.  
480 Neponset Street-Bldg. 7  
Canton, MA 02021

Subject: Protocol Review

Protocol:

Number: 2696A, Version 4, 18Dec. 07

Sponsor: Multidisciplinary Association for Psychedelic Studies (MAPS)

Protocol Title: Evaluation of Volcano® Vaporizer for the efficient emission of THC, CBD, and CBN and the significant reduction and/or elimination of total particulate matter (TPM) and Tar components (various organic compounds in TPM that absorb UV radiation) obtained from NIDA.

Joseph,

I have reviewed and provided comment to the scientific testing protocol referenced above. With comments incorporated, I have deemed the protocol complete and adhering to current scientific standards for use within the pharmaceutical device industry. Furthermore, the content and level of detail appears to meet the rigors of regulatory scrutiny and in compliance with current Good Laboratory Procedures and Practices. In conclusion, I see fit that this protocol is in compliance and complete for submission/implementation.

Kind regards,

Robert A. Kaster, Jr., R.Ph.